

City of Mullins

Bid Request

Project: Fence (OBS)

Background

City of Mullins Government is seeking proposals from qualified contractors for the installation of fencing at the Old Brick Square Site located at 231 Main Street, Mullins, South Carolina. The project aims to enhance Safety, security and aesthetics at the site. This Request for Quotes (RFQ) was issued on December 17, 2025.

Work Details

The contractor will be responsible for the following tasks:

1. Installation of approximately 480 feet of four-foot-high chain link fence.
2. Installation of three individual entrance gates per site layout.
3. Inclusion of bottom tension wire.
4. Description
 - a. Fence Fabric
 - i. Type: Chain link, galvanized steel core with black vinyl (PVC) coating.
 - ii. Height: 4 feet above finished grade unless otherwise noted.
 - iii. Mesh Size: 2 inches (50 mm) diamond pattern.
 - iv. Wire Gauge:
 1. Core Wire: 9 gauge (0.148 in) galvanized steel minimum.
 2. Vinyl-Coated Finish: Equivalent to 8 gauge after coating (approx. 0.162 in total).
 - v. Coating:
 1. Vinyl (polyvinyl chloride, PVC) bonded and fused to the wire by the manufacturer.
 2. Minimum coating thickness: 0.015 inch (15 mil).
 3. Color: Black, conforming to ASTM F934, Color No. 9 (Black).

4. Fabric Compliance: ASTM F668, Class 2b, and ASTM A817.
- b. Line Posts
 - i. Material: Galvanized steel pipe with black vinyl coating.
 - ii. Outside Diameter: Minimum 2-1/2 inches (2.875 in actual OD).
 - iii. Wall Thickness: Schedule 40 (0.203 in wall thickness) or per ASTM F1043, Group IA.
 - iv. Post Spacing: Maximum 10 feet on center unless otherwise specified.
- c. Terminal Posts (End, Corner, Gate, and Pull Posts)
 - i. Outside Diameter: Minimum 3 inches (3.00 in actual OD).
5. Provision of all necessary labor, materials, Safety Data Sheets (SDS), equipment, and a competent supervisor to oversee the work.
6. Protection of all City property during the project.
7. Daily cleanup and removal of debris from the site.
8. Verification of all measurements and material quantities prior to installation.
9. All new materials must be installed per manufacturer's recommendations and are subject to approval by the City of Mullins.

Period of Performance

The work is expected to commence within 10 days Contact(s) and must be completed within 15 consecutive calendar days from the Notice to Proceed.

Place of Performance

The contract will be performed at the Hedrick Site located at 231 N Main Street, Mullins, SC 29574.

Bidder Requirements

Contractors must submit a Certificate of Insurance for public liability, property damage, and Workers' Compensation with their proposal. Additionally, they must provide a W-9 form and comply with the Iran Divestment Act certification requirements. The contractor is required to maintain minimum insurance coverage including \$1 million per occurrence for bodily injury liability and \$100,000 for property damage liability.

South Carolina Business Opportunities

Published by Division of Procurement Services - Delbert H. Singleton, Jr., Division Director

Ad Category: Equipment

Ad Start Date: December 18, 2025

Title: OBS Fencing

Purchasing Agent/Entity: City of Mullins

Bid/Submittal Due Date: January 7, 2026 - 2:00pm

Description:

Old Brick Square Fencing located at 231 Main Street, Mullins South Carolina

Solicitation #: 2026-01-07

Direct Inquiries To: Felicia Norton

Buyer Phone#: 8434300582

Buyer Email: fsawyer@mullinssc.us

Pre-Bid Information:

n/a

Full Details / Download: www.mullinssc.us

South Carolina Business Opportunities • SCBO Team • 1333 Main Street, Suite

700 • Columbia, SC 29201

803-737-0600 • scbo@mmo.sc.gov • <https://scbo.sc.gov> • <https://procurement.sc.gov>

